

**Version 6.5.1**



**Release Notes**

## **Disclaimer**

THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. WHILE EFFORTS WERE MADE TO VERIFY THE COMPLETENESS AND ACCURACY OF THE INFORMATION CONTAINED IN THIS DOCUMENTATION, IT IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. IN ADDITION, THIS INFORMATION IS BASED ON IBM'S CURRENT PRODUCT PLANS AND STRATEGY, WHICH ARE SUBJECT TO CHANGE BY IBM WITHOUT NOTICE. IBM SHALL NOT BE RESPONSIBLE FOR ANY DAMAGES ARISING OUT OF THE USE OF, OR OTHERWISE RELATED TO, THIS DOCUMENTATION OR ANY OTHER DOCUMENTATION. NOTHING CONTAINED IN THIS DOCUMENTATION IS INTENDED TO, NOR SHALL HAVE THE EFFECT OF, CREATING ANY WARRANTIES OR REPRESENTATIONS FROM IBM (OR ITS SUPPLIERS OR LICENSORS), OR ALTERING THE TERMS AND CONDITIONS OF THE APPLICABLE LICENSE AGREEMENT GOVERNING THE USE OF IBM SOFTWARE.

## **Licensed Materials - Property of IBM**

©Copyright IBM Corporation 1999, 2006 All rights reserved.

US Government Users Restricted Rights - Use, duplication or disclosure restricted by GS ADP Schedule Contract with IBM Corp.

Lotus Software  
IBM Software Group  
One Rogers Street  
Cambridge, MA 02142

## **List of Trademarks**

AIX, Domino, IBM, i5/OS, iSeries, Lotus, Notes, OS/400, QuickPlace, Sametime, and Tivoli are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both. Microsoft and Windows, are registered trademarks of Microsoft Corporation in the United States, other countries, or both. UNIX is a registered trademark of The Open Group in the United States and other countries. Java and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc., in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.

# Table of Contents

System Requirements.....	4
Fix pack required to run on Domino 6.5.4 (Windows, AIX, Solaris) .....	5
Enabling fix required for Team Workplace for iSeries installs on Domino 6.5.2 or later releases .....	9
Domino Internet Site documents not supported .....	10
Domino 6.5.1 Extended Products upgrade and supported configurations information .....	10
New Features in Team Workplace 6.5.1 .....	10
New features for administrators .....	10
New features for users .....	11
Fixes Incorporated in Team Workplace 6.5.1 .....	12
Known Issues .....	14
Install .....	15
Upgrade .....	16
Partitioned Servers .....	22
Offline.....	23
Sametime.....	24
External User Directory.....	25
Place Catalog .....	26
Places .....	27
PlaceTypes .....	32
QPTool .....	34
Security .....	37
International.....	41
Browser .....	43
Calendar .....	45
Other.....	46
Documentation Updates.....	46

## System Requirements

You must install IBM® Lotus® Team Workplace (QuickPlace®) 6.5.1 on an IBM® Lotus® Domino® server running version 6.5.1 or later. The following table describes the software requirements and support for Team Workplace 6.5.1. Refer to the Domino 6.5 release notes available on the Web at [www.lotus.com/idd/doc](http://www.lotus.com/idd/doc) for hardware and memory requirements.

Server operating systems	<ul style="list-style-type: none"> <li>• IBM® AIX®, 5.1 or 5.2</li> <li>• IBM® OS/400®, V5R1, V5R2, or i5/OS™ V5R3 (iSeries™)</li> <li>• Microsoft® Windows® 2000 (Server and Advanced Server)</li> <li>• Microsoft Windows 2003 (Server and Advanced Server)</li> <li>• Sun Solaris 8 or 9</li> </ul>
Client operating systems	<ul style="list-style-type: none"> <li>• Microsoft Windows 2000 Professional</li> <li>• Microsoft Windows XP Professional</li> <li>• Red Hat Linux 9</li> <li>• Red Hat Enterprise Linux 3.0 Workstation</li> <li>• Macintosh OS X v10.3x</li> </ul>
Browsers	<ul style="list-style-type: none"> <li>• Microsoft Internet Explorer 5.2.3 (with latest updates) on the Macintosh</li> <li>• Microsoft Internet Explorer 5.5 (with Service Pack 2 and the latest patches) on Windows</li> <li>• Microsoft Internet Explorer 6 (with Service Pack 1 and the latest patches) on Windows</li> <li>• Mozilla 1.4.1 on Red Hat Linux</li> </ul>
LDAP v3 directories	<ul style="list-style-type: none"> <li>• Active Directory on Windows 2000 Server</li> <li>• Lotus Domino 5 or 6 (LDAP)</li> <li>• IBM® Tivoli® Directory Server 4.1 or 5.1</li> <li>• IBM® Tivoli® Access Manager 4.1 or 5.1</li> <li>• iPlanet/Sun One Directory Server 5.1</li> </ul>
Native office suites	<ul style="list-style-type: none"> <li>• Microsoft Office 2000</li> <li>• Microsoft Office 2003</li> <li>• Microsoft Office XP</li> </ul>
Authentication	<ul style="list-style-type: none"> <li>• SiteMinder Web Agent 5.5 HF-007 with Policy Server 5.5</li> <li>• SiteMinder Web Agent 5.6 HF-010 with Policy Server 5.5</li> <li>• SiteMinder Web Agent 5.7 HF-008 with Policy Server 5.5</li> <li>• eTrust SiteMinder Web Agent 6.0 QMR1 with Policy Server 6.0 SP1</li> </ul> <p>Note: SiteMinder not supported for Team Workplace servers running UNIX® or iSeries</p> <ul style="list-style-type: none"> <li>• Multi-Server/LTPA</li> <li>• Domino DSAPI</li> </ul>
Java™ client versions	<ul style="list-style-type: none"> <li>• IBM JVM 1.3.1, IBM JVM 1.4.1</li> </ul>
Java server versions	<ul style="list-style-type: none"> <li>• IBM JRE 1.3.1, IBM JRE 1.4.1</li> </ul>
Java Developer's Kit (JDK)	<ul style="list-style-type: none"> <li>• IBM JDK 1.3.1 or IBM JDK 1.4.1 for customizations and Placebots</li> </ul>
Other products	<ul style="list-style-type: none"> <li>• iPlanet Portal Server 3.0 with Service Pack 2</li> <li>• IBM® Tivoli® PolicyDirector 3.8</li> <li>• IBM® Network Dispatcher 3.6</li> <li>• IBM® Lotus® Instant Messaging and Web Collaboration</li> </ul>

	(Sametime®) version 3.1 or 6.5.1 <ul style="list-style-type: none"> <li>• Sametime version 3.0 with Service Pack 1 running on Windows</li> <li>• Sametime 3.0a for iSeries</li> </ul>
--	---

### **Fix pack required to run on Domino 6.5.4 (Windows, AIX, Solaris)**

On the Windows, AIX, or Solaris platforms, *Team Workplace 6.5.1 Fix Pack for Domino 6.5.4* is required to run Team Workplace 6.5.1 on Domino 6.5.4. Team Workplace 6.5.1 will not work on Domino 6.5.4 without this fix pack. In addition to enabling Team Workplace 6.5.1 to run on Domino 6.5.4, the fix pack also addresses some known issues found since the initial release of Team Workplace 6.5.1. For important information about this fix pack and how to install it, see IBM Software Support Technote 1198555 at <http://www.ibm.com/support/docview.wss?rs=855&uid=swg21198555>.

The following tables describe the fixes incorporated into *Team Workplace 6.5.1 Fix Pack for Domino 6.5.4*.

#### **Sametime fixes**

<b>SPR#</b>	<b>Fix description</b>
KHIA67BPKD	To allow use of the Distinguished Name (DN) rather than Common Name (CN) for Sametime awareness because CN contains comma, add the notes.ini setting QuickPlace_Use_DN_for_Awareness=1
KOI62FJEJ	Resolved an issue where Sametime links were not working as expected in Team Workplace.
RMEK63LLPS	Resolved an issue where a meeting created within a Team Workplace calendar does not include Sametime whiteboard capability.
CTRP5Z3RHQ	Resolved an issue where the Sametime chat window displays the distinguished name rather than common name in Team Workplace.
MKRN5WEMKG	Resolved an issue where you cannot create meetings with invited Sametime servers.

#### **Offline fixes**

<b>SPR#</b>	<b>Fix description</b>
CKHO62MQS9	Resolved an issue where offline images do not display when offline name translation is required.
SANN5VEJ5Y	Resolved an issue where a user whose name contains an apostrophe cannot take places offline.

#### **External User Directory fixes**

<b>SPR#</b>	<b>Fix description</b>
CKHO5TAM3X	Resolved an issue where external users cannot be added, only local users.
CKHO665KRS	Resolved an issue where local users are allowed in new places, even though server is set to disallow them.
SANN5ZZLS2	Resolved an issue where the <object_class_value> setting in qpconfig.xml is case-sensitive.
CPRE646P6X	Resolved issue where My Team Workplaces portlet does not correctly return a list of places you are a member of.

CPRE5VX49K	Resolved an issue where a “\” in a distinguished name causes an error when WebSphere Portal passes the authenticating cookie.
FFZG5YJA3E	Resolved an issue where users’ whose distinguished names contain special characters cannot open user profiles from “What’s New.”
WHZG5YF5TZ	Resolved an issue where an administrator’s distinguished name shows in the administration place if the distinguished name contains special characters.
HYZG5YFADP	Resolved an issue where the manager of a place can’t open the member profile of a user whose distinguished name contains special characters.
SSHD5WKGAY	Resolved an issue where adding an LDAP directory distinguished name to the user name field in a Domino Directory Person document can cause authentication failures.
JRUO5FTSW2	Resolved an issue where Active Directory users whose distinguished names contain “\,” cannot be added to a place.
MMOI5UPSER	Resolved an issue where you cannot remove users from places if the users are registered in a Sun ONE directory that uses a custom schema.
CTRP5W22SF	Resolved an issue where the member_lookup_ui setting is not configurable when the user object class is not person.

#### Place and PlaceType fixes

SPR#	Fix description
RMEZ63KKAV	To resolve an issue where a custom form created with Name Popup field is showing the field blank in the folder view, add the notes.ini setting QuickPlaceUseAlternateColumnNameDisplayNameFormula=1
CKHO62UMJV	Resolved an issue where the creation date changes when a page is moved.
SANN64LNZ4	Resolved an issue where an invalid document identifier occurs after several changes to Folder Options.
RMEZ5SZKQT	Resolved an issue where Members view shows users as part of a group when they are not.
CKHO64SHP7	Resolved an issue where the My Places link is incorrect after a place is renamed.
CTRP64EK6U	Resolved an issue where new pages created in a custom folder do not display when the Discussion and Library folders are deleted and the Index is hidden.
MMOI633G8U	Resolved an issue where an invalid document identifier error occurs when clicking a folder whose name contains consecutive spaces.
CKHO5QBJSK	Resolved an issue where rooms inherited from a PlaceType are not visible to the creator of the place.
CTRP622SKJ	Resolved an issue where the qptool changemember command does not fix local members in contacts1.nsf.
CKHO5VFNE6	Added Arial font to rich-text control.
MMOI5ZLRYH	Resolved an issue where the qptool register –install command changes a group distinguished name to a local user.
JSOA5WVP53	Resolved an issue where the Created By field is updated to editor when an imported document is edited.
MMOI5YFLAX	Resolved an issue where a non-author cannot move a message thread that contains a draft document.
MMOI5XUQ9R	Resolved an issue where a non-author cannot delete a page as part

	of moving the page to a room.
CKHO5V7K3E	Resolved an issue where a My Places place link is incorrect when there are more than 30 servers in the Place Catalog.
BROK5XCLGK	Resolved an issue where the "All Authors" selection is not available when selecting "Publish as" and then "Add editors" in a place that uses the expanded membership model.
BROK5X3UAB	Resolved an issue where My Places doesn't work for members whose distinguished names contain spaces.
GFLY5G9K5G	Resolved an issue where two bytes are added to uploaded and downloaded files.
YKIA5S74HF	Resolved an issue where the last character is lost in file attachments.

### Notifications fixes

SPR#	Fix description
SSHI5BAP5N	Resolved an issue where "What's New" emails cannot be sent to groups. Add the following settings to the <b>notifications</b> section of the qpconfig.xml file to allow sending "What's New" emails to groups:  <pre>&lt;server_settings&gt;   &lt;notifications&gt;     &lt;recipient_rules&gt;       &lt;send_news_to_groups enabled="true"/&gt;     &lt;/recipient_rules&gt;   &lt;/notifications&gt; &lt;/server_settings&gt;</pre>
PKAY67K4BE	Resolved an issue where qptool sendmail –managers sends mail to all groups/users with flat names, even readers and authors.
SSHI5BAP5N	Resolved an issue where duplicate entries occurred in newsletter emails.
MJAS5DUSC6	Resolved an issue where weekly newsletter message says content changed today or yesterday.
JSOA667NCD	Resolved an issue where the calendar event created more than a week in advance does not appear in the weekly newsletter.
MMOI625TZ8	Resolved an issue where an email containing "<a" in the text causes display problems when forwarded to Team Workplace.
CKHO5XTNBB	Resolved an issue where email notifications to more than one group fail.
JPAS5U5LDG	Resolved an issue where a confirmation email is not sent to the creator of a place when the place is created through the Team Workplace API.
CTRP5X5NG2	Resolved an issue where "Send <username> email confirming this change" in member profile does not send mail.

### Search fixes

SPR#	Fix description
SSEI68RMRU	See "Enabling advanced search of an external source" after the tables.

SSEI66BMBW	Resolved an issue where QuickPlace search API fails when called from Java program using different JVM.
CKHO66ZM2E	Resolved an issue where advanced search does not return correct results.

#### Other fixes

SPR#	Fix description
CWIR67MQUU	Improved performance in a dual-directory environment by implementing a cache to prevent unnecessary dual-directory remappings in WebSphere Portal.
CKHO667LGY	Resolved an issue where the server crashes when moving a page to a room with no folders or index.
DKIM5WXMMV	Resolved an issue where AIX crashes after use of the qptool upgrade and qptool register commands.
QPTR5T4A2G	Resolved an issue where the "Select Time Zone" selection does not take effect.
CTRP5XR7GN MMOI66CPUY	See "Examining Team Workplace URLs for possible cross-scripting attacks" after the tables.

#### Enabling advanced search of an external source

The fix for SPR SSEI68RMRU is to enable advanced search of an external source by adding an **external** section to the **search\_places** section of qpconfig.xml as follows:

The **enabled** attribute can be true or false. Set to true to enable the external search feature.

The **url** value is the URL to the external search source, with a placeholder for the search term

The **search\_term\_placeholder** value is the placeholder in the above URL, which will be replaced with the search term

The **search\_form\_label** value is the text label shown on the Advanced Search form for the external search radio button

The **frame\_width** value is the width (either in % or pixels) of the search results frame - not required, default is 100%

The **frame\_height** value is the height (in pixels) of the search results frame - not required, default is 2000.

For example:

```
<server_settings>
  <search_places enabled="true" log_level="0" anonymous="true">
    <external enabled="true">
      <url>
        <![CDATA[
http://hostname:port/servlet/JKMSearchController?AppID=Demo&desTemplateFile=
AllOptions.txt&desClientLocale=enUS&DESMAXHITS=5&DESPAGESIZE=5&DESGETPAGE
=1&
DESBoolean=Find&DESReturnResults=Sorted&DESQueryString=TeamWorkplaceSear
chTerm&
DESTimeOut=60
]]>
      </url>
    </external>
  </search_places>
</server_settings>
```

```

</url>

  <search_term_placeholder>TeamWorkplaceSearchTerm</search_term_place
holder>
  <search_form_label>Company Knowledge Base</search_form_label>
  <frame_width>100%</frame_width>
  <frame_height>2000</frame_height>
</external>

</search_places>
</server_settings>

```

### **Examining Team Workplace URLs for possible cross-scripting attacks**

The fix for SPRs CTRP5XR7GN and MMOI66CPUY is to enable the examination of Team Workplace URLs for possible cross-scripting attacks by adding an **xss\_protection** section to the **security** section of the qpconfig.xml file as follows:

The **enabled** attribute can be true or false. Set to true to check URLs for potential XSS attacks.

The **filterquick** value identifies characters that must show up in the URL in order to warrant further URL checking.

The **filter** value contains a regular expression defining a potential XSS URL. If xss\_protection is enabled, URL's matching this expression will show the user an error page. There may be multiple filter values.

For example:

```

<server_settings>
  <security>
    <xss_protection enabled = "true">
      <filterquick value="%: &lt; +"/>
      <filter
value="\&lt; [^\&gt;)]*(S|s)(C|c)(R|r)(I|i)(P|p)(T|t)[^\&gt;)]*\&gt;"/>
      <filter value="javascript[^\(\\)]*\\"/>
      <filter
value="\&lt; [^\&gt;)]*(I|i)(M|m)(g|G)[^\&gt;)]*\&gt;"/>
    </xss_protection>
  </security>
</server_settings>

```

### **Enabling fix required for Team Workplace for iSeries installs on Domino 6.5.2 or later releases**

You must install an enabling fix for Team Workplace 6.5.1 to run it on a Domino 6.5.2 or later server on iSeries. If you have multiple Team Workplace servers running in the same logical partition (LPAR), you must update all of them to the same Domino 6.5.x release when you install the Team Workplace enabling fix for that Domino release. To obtain an enabling fix, see the Team Workplace for iSeries support site at <http://www.ibm.com/eserver/iseries/quickplace/support.htm>.

### **Domino Internet Site documents not supported**

A Team Workplace 6.5.1 server does not support the use of Internet Site documents for Internet protocol configuration, for example Web Site documents. Team Workplace does not work properly if Internet Site documents are used on the Domino server.

### **Domino 6.5.1 Extended Products upgrade and supported configurations information**

For important information regarding recommendations for upgrade order and supported configurations for the Notes® Domino 6.5.1 Extended Products, please refer to Technote #1162481 on the Web at <http://www.ibm.com/support>.

## **New Features in Team Workplace 6.5.1**

The following features are new in Team Workplace 6.5.1.

### **New features for administrators**

#### **Support for Domino 6.5.1 or later**

Team Workplace 6.5.1 must run on a Domino 6.5.1 or later server.

#### **Support for the Macintosh client**

Team Workplace 6.5.1 now supports the use of Macintosh OS X v10.3x clients with the Microsoft Internet Explorer 5.2.3 browser.

#### **Support for the Mozilla browser on RedHat Linux**

Users connecting to a Team Workplace 6.5.1 can do so using the Mozilla browser on RedHat Linux. For details on the specific versions of Mozilla and Red Hat Linux supported for clients, see "System Requirements."

#### **New product name**

The name QuickPlace has changed to Team Workplace. The documentation uses the new name, as do parts of the product user interface, for example the installation user interface. The name QuickPlace still occurs in various other parts of the product, for example in server URLs and file names, qpconfig.xml settings, and notes.ini settings.

#### **Expanded membership feature**

The new expanded membership feature supports up to 4000 individual members of a place. In previous releases, places were limited to approximately 300 to 900 individual members.

#### **Performance enhancements**

The following performance enhancements provided with Team Workplace 6.5.1 result in quicker page loading.

##### ***New method for retrieving system images***

Team Workplace 6.5.1 takes advantage of Domino's HTTP-accessible data directories by accessing system images from the file system. In previous releases system images were accessed from the resources.nsf database. As a result of this change, pages that use system images heavily, for example the Edit Page, load much more quickly than in previous releases. For backward compatibility, system images are stored in resources.nsf as well as in the file system.

### ***Page compression***

Team Workplace 6.5.1 compresses the HTML and text content in pages it transmits to clients if the browser supports compression. The compression reduces the size of HTML transmissions to 30% or less of the uncompressed size, with the result that users can open large pages more quickly than in previous releases. Only HTML and text content is compressed, not images or attachments.

Because problems can occur with page compression with Internet Explorer 5.5, the Team Workplace server does not use page compression for Internet Explorer 5.5 or lower.

Page compression is enabled by default, but you can disable it using the new `qpconfig.xml` setting `page_compression`.

### **New security features**

Team Workplace 6.5.1 provides new security features that allow you to block specific protocols referenced in link URLs, and to block imports of files that contain cross-site scripts.

### **New My Places settings**

There are two new settings available for configuring My Places in the `qpconfig.xml` file. Use the new `place_links` setting to control whether Team Workplace opens a place accessed through My Places in the current browser window or in a new browser window. Use the new `show_in_main_place` attribute of the `place_ui` setting to open the My Places list in the page a user is currently signed into rather than in the Quickplace/quickplace main place.

### **New setting for disabling browser page caching**

As a security measure, you can use the new `qpconfig.xml` setting `browser_caches_place_content` to prevent Team Workplace from caching on the browser pages that contain user data. Pages that do not contain user data are still cached by the browser. This setting is effective on all supported browsers.

### **New features for users**

#### **Support for importing and publishing Office 2003 documents**

In Team Workplace 6.5.1, the existing Office integration features have been upgraded to include the same level of support for Office 2003 documents. This includes the ability to:

- Import Office 2003 documents into Team Workplace
- Create and view Office 2003 documents within Team Workplace
- Perform editing round trips on Office 2003 pages
- Create and use Office forms based on imported Office 2003 documents

The specific Office 2003 applications supported are Word, PowerPoint, and Excel. If you have multiple versions of Office, or mixed versions of Office applications, Team Workplace seeks to use them in the following order: 2003, XP, and 2000.

#### **Updated pages show last editor**

In previous releases of Team Workplace, a page creator's name and the date that the page was last modified displayed at the top of the page. Even if another editor updated the page, the page creator's name still displayed.

In Team Workplace 6.5.1, a Created By field shows the name of the page creator and the date it was published. An Updated By field displays below the Created By field. The Updated By field shows the name of the most recent editor and the date of most recent update.

## Fixes Incorporated in Team Workplace 6.5.1

The following tables summarize the fixes incorporated in Team Workplace 6.5.1

### Security fixes

SPR#	Fix description
MKRN5QMNQN	Resolved issue where single sign-on between places did not work as expected for users with a period (.) in username.
CWIR5QFB37	Resolved issue where a server could "hang" after repeated failed user authentication due to memory leak.
CKHO5MPLG3	Improved handling of LPTA token and cookies.
RTAG5MYH54	Added the qpconfig.xml setting <browser_caches_place_content enabled="false"/> to prevent caching of pages that contain user data.
SANN5QDHP2	Clarified the Help description on the access required to create folders.
SANN5RXQFT	Added the URLfield_protocol_filter setting in qpconfig.xml to block publishing of pages with URL links that reference specific protocols.
SMAL5N6U4B	Restricted browser access through Domino URL commands to "\$All" and "System/Default" views.
TESA5SDKUK	Tightened security by providing ability to block HTML attachments that contain cross-site scripts.
TTAN586Q46	Increased membership limit for places through Expanded Membership feature

### Offline fixes

SPR#	Fix description
MKRN5SEE4C	Resolved issue where implementing NQPEExtMgr.exe to get Domino Offline services for authors and readers cluster replication is blocked unless the servers are added as entries in the LDAP user directory.
DKIM5T3LUZ	Resolved issue where a user who is also the Team Workplace super user could experience a crash working offline.
SBRN5F8REJ	Resolved issue where Team Workplace server could "hang" during server startup, specifically during HTTP service startup, if Domino Offline Services, Directory Assistance and Group Expansion are all enabled.
KHIA5SEUJH, BROK5MRK3S	Resolved issue where offline stops working after upgrading offline.
BROK5TMUND	Resolved issue where Extension Manager attempted to deregister items that it never registered causing server crash during server shutdown.
SSEI5MJKH6	Resolved Domain Catalog authorization problem related to DOLS through use of QuickPlaceExtensionManagerAllowServers=1 notes.ini setting.

### External User Directory fixes

SPR#	Fix description
CWIR5QFB37, THES5LXKBN, RMEZ5MPM46	Resolved a problem where an LDAP memory leak hangs the system after repeated failed authentications and members get split up when adding to place.

SSEI5RMHP7	Resolved issue where a server crash could occur when expanding an external group that contained over 400 members.
JSOA5RRNPA	Resolved issue where an error could be displayed when adding a user whose full name contains an apostrophe and whose distinguished name does not.
MHEG5MBP6M	Improved support for groups in IBM internal LDAP directory "bluepages."

### Place and PlaceType fixes

SPR#	Fix description
TESA5T3RYE	Resolved issue where display name was incorrectly displayed as user id for updated local users
BROK5SKPPW	Resolved a problem where My Places could return an Internal Error for places that use expanded membership.
JNES5NGPRX	Resolved issue where an error would be displayed, "Error: unable to upload file: ..." when publishing some HTML files using "Publish As."
SSHT5M9NCR	Resolved issue where design elements of a Placetype created with QuickPlace 3.0 failed.
CWIR5RWHV7	Resolved issue where a user's "short name" would be displayed on tasks.
GBYE5MKF75	Resolved possible character corruption issue when Importing multiple Office documents that have accented character in file name.
HDAI5NUNFN	Fixed a problem where an "entry already exists" error occurred when a place's member limit was reached and you removed a member and then re-added the member
LOMI5T3D5V	Resolved possible issue that displayed error message when opening a PDF format file in a place.
QPTR5LNBP6	Resolved issue where All authors option displayed as [h_Members] when publishing as a page.
QPTR5ML5PY	Resolved issue where it was possible for a blank line to be displayed in Assigned To field in room task page after creating local group.
THES5QCJZB, RMEK5RVP4N	Resolved problems where tasks were not sorted by due date.
TESA5TXL8V	Resolved issue where Name PopUp field on custom forms did not show proper display name.
THES5LXKBN	Resolved issue where it was possible to added a member to a place but the member would appear as two members.
HDAI5PGH2L	Corrected an error message that displayed when you chose "Restrict readers" when publishing a page but didn't specify any names.
MKRN5RPCQG	Resolved a problem where reordering columns in a folder removed links to documents.
QPTR5LP4G9	Resolved issue where it was possible for a blank entry to be listed for a group in the restricted reader list when publishing a page.
RMEZ5NDJZ2	Added "Updated By" field to display last editor of a page.

### Notifications fixes

CTRP5P2KZW	Resolved issue where What's New report did not display the correct last editor for a document
------------	---

SSEI5RMHKB	Resolved issue where a server crash was possible when "Send invitations to users who have email" checkbox is selected when adding an external group to a place.
JBET5M2KH7	Resolved a problem where page notifications to all members did not work.
SSEI5RMHR3	Resolved multiple listings of manager email address in What's New email.
TESA5SLM6E	Resolved "To" name issue in newsletter where task assigned was not using mapped Display Name.

### Other fixes

SPR#	Fix description
QPTR5TQ3ZT	Resolved issue in qpconfig_sample.xml file where there was a redundant "/" in the security section of qpconfig.xml.
KHIA5TAPYT	Included symbol files for improved supportability.
RMEZ5PFHTY	Resolved issue involving failover of Place Catalog in a clustered configuration.
TESA5TAKAE	Enabled support of Domino QMR server versions.
DRUH5SZRZ9	Corrected misspelling in Install screen.
MDEY5KTJZ9	Place catalog forms and views now have aliases.
MDEY5L2LMM	Added two new Place catalog views for admins: Total Members by Place, Total Places by Member
WQUN5J7QKD	Resolved a problem where in the Print view of a page chat doesn't work when a name is Sametime-enabled.
QPTR5SLUD7	Changed default help topic from "Using folders" to "Using an index."
TESA5LEPM4	Improved performance as a result of new method for retrieving system images.

### Known Issues

The known issues are categorized as follows:

- Install
- Upgrade
- Partitioned Servers
- Offline
- Sametime
- External User Directory
- Place Catalog
- Places
- PlaceTypes
- QPTool
- Security
- International
- Browser
- Calendar
- Other
- Documentation Updates

## **Install**

### **Specify the Domino version number in the installation kit before installing Team Workplace for AIX or Solaris**

Before you install Team Workplace for AIX or Solaris, follow these steps to specify the installed Domino version in the installation kit.

1. Do one of the following to copy the Team Workplace installation kit to the server on which you will install Team Workplace:
  - If your Team Workplace installation kit is on a non-writing medium such as a CD, copy the kit to a temporary directory on the server.
  - If your Team Workplace installation kit is in a compressed form, for example, a tar file, uncompress the kit to a temporary directory on the server.
2. Change the directory (cd) to the /sets/data subdirectory of the temporary directory. For example, if you copied the installation kit to a directory called /local/teamworkplace, type cd /local/teamworkplace/sets/data
3. Using a text editor, open the file nui.cfg.
4. Change rev=65010, the first line of the file, to rev=650xx, where xx is the minor release number of the installed Domino version. For example, if the installed Domino version is 6.5.2, then change rev=65010 to rev=65020.
5. Save the file.
6. Install Team Workplace as you normally would.

SPR #JNES5Y2HG8

### **Domino 6.5.1 Interim Fix Pack 1 required for installation on Domino 6.5.1**

If you will install Team Workplace 6.5.1 on Domino 6.5.1, you must install the Domino 6.5.1 Interim Fix Pack 1 (6.5.1IF1). This fix pack provides important Domino fixes for proper operation of Team Workplace 6.5.1 on a Domino 6.5.1 server. Install the fix pack after you install Domino 6.5.1 and before you install Team Workplace 6.5.1. For more information, see Technote #4006552 on the Web at <http://www.ibm.com/support/docview.wss?uid=swg24006552>.

The fix pack is not necessary if you install on Domino 6.5.2.

### **The Team Workplace installer stops and disappears at the license screen**

*Problem* The Team Workplace installer stops and disappears at the license screen if the display setting is set to 16 color. This problem does not occur with iSeries servers.

*Resolution* Change display setting to 256 color or higher.

SPR #KHIA5DTQ4P

### **Specifying a Team Workplace administrator name that is a name in the external user directory causes problems**

*Problem* When prompted during install for the name of a Team Workplace administrator, if you specify a name that is the same as one in the external user directory, the user encounters problems such as not being able to see My Places.

*Resolution* During install specify a Team Workplace administrator username that is not used in the external directory.

SPR #LWOY5E3J76

## Upgrade

### **Versions supported for upgrades**

The following versions of QuickPlace are supported for upgrades to Team Workplace 6.5.1:

- QuickPlace 2.0.8 and 2.0.9
- QuickPlace 3.0, 3.0a, and 3.0.1

### **Upgrade database format**

When you upgrade to a new major release of the Domino server as part of a Team Workplace upgrade, after the upgrade, run the Domino Compact task on the databases of places created in the previous release. This step upgrades the database format to take advantage of database performance enhancements in the new release. Also compact place databases if you move them to a server that is running a later release. See Domino Administrator Help for information on the Compact task and on upgrading the database format.

### **Upgrade Fixes Incorporated in QuickPlace 3.0a**

QuickPlace 3.0a fixed several problems related to upgrades, which are now incorporated in release 6.5.1. If you are bypassing release 3.0a and upgrading from 2.x or 3.0 directly to 6.5.1, implementing some of these fixes requires additional steps beyond running qptool upgrade on places. These steps are described in the following table.

<b>SPR #</b>	<b>Description</b>	<b>Additional steps necessary</b>
HDAI5FKTV8	Fixes a problem where if you ran qpmove in R2.0x on a place derived from a PlaceType, when you upgraded and refreshed the place you lost any data added by users (as opposed to data inherited from a PlaceType) before qpmove was run.	If you upgrade from R3.0 to R6.5.1, this fix requires you to complete these steps after the upgrade: <ol style="list-style-type: none"><li>1. Restore a backup of the affected 2.0x places</li><li>2. Run qptool upgrade on the affected places.</li></ol>
WQUN5ERQJQ	Fixes a problem where customizations to discussion folders were lost after an upgrade	If you upgrade from R3.0 to R6.5.1, recreate the customizations in the folder.
JALS5ECPHY	Fixes a problem where features were enabled in a place created from a PlaceType after an upgrade even though the PlaceType used to create the place disabled the features in places.	If you upgrade from R2.X to R6.5.1, from a Notes client change the value of the fields "h_IsInToc" and "h_IsDisabled." For more information, see the release note "Features disabled in a PlaceType are enabled in places after an upgrade from R2.0x to R6.5.1" in the "Known Issues - Upgrade" section of the release notes. Alternatively, you can restore a backup of the place not yet upgraded to 6.5.1 and run qptool upgrade on the place using R6.5.1.
CLEY5F6K6T	Fixes a problem where the Examples link no	If you upgrade from 3.0 to 6.5.1, after the upgrade run qptool upgrade on the

	longer used in R3.0 still existed in the QuickPlace place after an upgrade	QuickPlace place, i.e.:  load qptool upgrade -p quickplace
HDAI5FESW7	Fixes a problem where a place created in R2.0x without an explicit theme selection changed to the default R6.5.1 theme after an upgrade	To preserve the 2.0x theme selection: 1. Upgrade the server to 6.5.1. 2. Add this upgrade setting to qpconfig.xml and restart the server: <pre>&lt;upgrade&gt; &lt;theme update_default_to_latest="false"/&gt; &lt;/upgrade&gt;</pre> 3. Run qptool upgrade on the affected places.  For more information, see the release note "A place created in R2.x without an explicit theme selection changes to the default R6.5.1 theme after an upgrade" in the "Known Issues - Upgrade" section of the release notes.
SSEI5FTP9C	Fixes a problem where if you switched a server from using a Domino Directory via NRPC to an LDAP directory, then upgraded a place, users could not see the place listed under My Places if the user's name in the place used slashes as delimiters (the Domino format).	If you upgrade from R3.0 to R6.5.1 and you did not run qptool upgrade on a place in R3.0, you can do so in R6.5.1 without problems. If you ran qptool upgrade on a place in R3.0 after changing to an LDAP directory and then upgrade to R6.5.1, use the qptool changemember command to change the format of the names in a place to the LDAP format. For example: Load qptool changemember -p place1 - sourcedn "cn=acme/o=marketing " -targetdn "cn=acme,o=marketing"

### **h\_ScopeUrlInQP setting no longer required for single sign-on setup**

It is no longer necessary to use the notes.ini setting h\_ScopeUrlInQP=1 when setting up single sign-on authentication on the Team Workplace server.

### **iPlanet and SecureWay directory users can't install offline after an upgrade from R3.0a to R6.5.1**

*Problem* After upgrading from R3.0a to R6.5.1, users in an iPlanet or SecureWay directory can't install places offline.

*Resolution* Run the qptool repair command on the places which have this issue. Users should then be able to log on. For information on the qptool repair command, see the *Team Workplace Administrator's Guide*.  
SPR #QPTR5LXBJE

### **Users get offline error during synchronization after an upgrade from R3.x**

*Problem* After an upgrade from QuickPlace R3.x to Team Workplace 6.5.1, users attempting to take upgraded places offline see the following error during synchronization: "The application for this subscription did not finish initializing". You will need to reissue synchronization before going offline."

*Resolution* After a Team Workplace server is upgraded from 3.x to 6.5.1, offline users should clear the browser cache before taking places offline. To clear the browser cache:

- 1) Choose Tools - Internet Options - Delete Files.
- 2) Check "Delete all offline content" and click OK.
- 3) Choose Tools - Internet Options – Settings - View Objects.
- 4) Select and delete "LotusDRSControlClass."
- 5) Restart the browser.

**Note:** Users can ignore the error if it appears after first synchronization of a place has completed after an upgrade.

SPR YYWG5V78QA

### **External user whose name contains an LDAP delimiter and space delimiter can no longer log in to 3.0a place**

*Problem* An external user or group added to a 3.0a place whose distinguished name contains a comma space delimiter (or other LDAP delimiter with a space) can no longer log in to the place after an upgrade to 3.0.1.

*Resolution* Run the qptool repair command on the place to fix the names in the place.

SPR #QPTR5LNBK9

### **Changehierarchy and removemember commands not working on a 3.0a place when external names use an LDAP delimiter and space delimiter**

*Problem* External users or groups added to a 3.0a place whose distinguished names contain a comma space delimiter (or other LDAP delimiter with a space) are not affected by the qptool changehierarchy or removemember commands after an upgrade to 6.5.1. The commands work on the names on a 3.0a server.

*Resolution* Run qptool repair on the affected places to fix the names. For information on the qptool repair command, see the *Team Workplace Administrator's Guide*.

SPR #QPTR5LXE78

### **Super user name containing international characters is not deleted after an upgrade from R2**

*Problem* A super user whose name contains international characters is not deleted from places after you upgrade from R2 to R6.5.1.

*Resolution* Do any of the following:

- Before upgrading to R6.5.1, disable Super User or change to a Super User without international characters using the Admin Utility. Then enable Super User through qpconfig.xml after upgrading to R6.5.1.
- Enable a R6.5.1 Super User through qpconfig.xml after upgrading, sign in as the new Super User, and delete the old Super User entry in each place.
- Write a Domino agent to delete the Super User document from each Contacts1.nsf database and from the ACL on Main.nsf, Contacts1.nsf, and PageLibraryxxx.nsf files for all places on the server.

SPR #QPTR5LV982

### **Forms hidden in places in Release 2.x are visible after an upgrade**

*Problem* If you hid forms in places in Release 2.x (by choosing Customize -> Forms->Show/Hide), after you upgrade the places to Release 6.5.1 the previously hidden forms become visible.

*Resolution* If the places with previously hidden forms were created from a PlaceType, do the following to correct the problem:

1. In the source place, choose Customize - Forms - Show/Hide forms to hide the forms.
  2. Use the qptool refresh -pt <placetype list> to refresh the Placetype(s).
  3. Use qptool refresh -p <place list> to refresh the places.
- If the places with previously hidden forms were not created from a PlaceType, instead do only step 1 on each of the places.
- SPR #HDAI5FSMB2

### **Users whose place access is controlled through membership in an external group cannot access pages or rooms after an upgrade from R2 to R6.5.1**

*Problem* Users whose place access is controlled through membership in an external group can no longer access pages or rooms after you upgrade the place from R2 to R6.5.1.

*Resolution* This problem occurs because the names of the members of the group are not upgraded to the R6.5.1 native directory format because they aren't stored in the Contacts1.nsf database of the place. Instead members of external groups are stored in security fields in the place, such as in h\_Authors and h\_Readers fields.

For example, the name of a user cn=jane doe,o=acme in the user directory whose access to a place is controlled through an external group, is stored in the h\_Authors field of a page she created as cn=jane doe/ou=*placename*/ou=QP/o=Dominocertifier because QuickPlace R2 converted the native LDAP names to the scoped QuickPlace names. Team Workplace R6.5.1 now stores the names in the native LDAP format. To correct the problem, change these R2-formatted names in a place to the format in which they appear in the user directory. To change the name of one user, use the qptool changemember command, specifying R2 formatted name as the source name and the name used in the directory as the target name. For example, specify:

```
>load qptool changemember -p place1 -sourcedn "cn=jane
doe/ou=place1/ou=QP/o=acme" -targetdn "cn=jane doe,o=acme"
```

Or to change the names of multiple users that are in the same name hierarchy in the user directory, use the qptool changehierarchy command. Only use changehierarchy if there are no local members of the place. For example, specify:

```
>load qptool changehierarchy -p place1 -sourceh ou=place1/ou=QP/o=acme -targeth
o=acme
SPR# QPTR5KS932
```

### **No browser error when you attempt to refresh a PlaceType before it is upgraded**

If you have upgraded your server from R2 to R6.5.1, but have not yet upgraded PlaceTypes on the server, and you make changes in a PlaceType, the browser will say "A request will be submitted to refresh the PlaceType." You are led to believe the PlaceType will be refreshed. However, a PlaceType cannot be refreshed until it is upgraded. This is reflected in an error on the server console:

```
qptool: processing placetype: ptfromplace1
QPException: Operation cannot be done until the pre-3.0 PlaceType has been
upgraded with qptool upgrade
```

This issue is release noted in "QPTool errors that result from administrative actions initiated from the browser do not display in the browser."

Server administrators should be told not to change or refresh PlaceTypes until all PlaceTypes are upgraded.

### **Child place does not inherit unchecked "Online Meeting" from source place after an upgrade**

*Problem* If you upgrade a child place created in R2.08, and next upgrade the source place and the PlaceType, if you later uncheck "Online Meeting" in the source place, refresh the PlaceType, and then refresh the child place, the child place does not inherit the change -- "Online Meeting" remains checked.

*Resolution* To work around this problem, upgrade the source place first, then the PlaceType, and last the child place. Or uncheck the "Online Meeting" setting manually in the child place.

SPR #HDAI5HUPTK

### **Upgrade places before PlaceTypes, and tell administrators not to refresh PlaceTypes until they are upgraded**

When upgrading places and PlaceTypes from R2 to R6.5.1, you have two choices. You can either upgrade all places and PlaceTypes at once using `load qptool upgrade -a`, or upgrade places and PlaceTypes one or a few at a time, using `load qptool upgrade -p/-pt placename(s) or PlaceType name(s)`. If you upgrade one or a few at a time, upgrade places first, then PlaceTypes.

Also, you cannot change or refresh PlaceTypes until they are upgraded. Server administrators should be told not to change or refresh PlaceTypes until all PlaceTypes are upgraded.

### **Changes to the sort column of a place's Index folder is lost after an upgrade**

*Problem* If you changed the sort column of a place's Index folder in Release 2, the sort column reverts to the Title column after you upgrade to Release 6.5.1.

*Resolution* Click Folder Options from the Index (where the setting is correct) then click Next and Finish. The column sort will be reset to the setting that existed before the upgrade.

SPR #JALS5E6KMK

### **The syntax for creating a place through a URL has changed from Release 2**

*Problem* The syntax for creating a place through a URL used in Release 2 no longer works.

*Resolution* The following example shows how to correctly create a new place from a URL in R6.5.1.

```
http://sebastian.acme.com/QuickPlace/quickplace/CreateHaiku.nsf/$defaultview/$new/?EditDocument&PresetFields=h_SetEditCurrentScene;h_CreateManager,h_EditAction;h_Next,h_SetCommand;h_CreateOffice,h_PlaceTypeName;h_StdPlaceType,h_Name;URLTest,h_UserName;John%20Smith,h_SetPassword;john,h_EmailAddress;jsmith@acme.com,h_SetReturnUrl;
http://sebastian.acme.com/QuickPlace/URLTest/Main.nsf?OpenDatabase,h_OwnerAuth;h_External
```

Note that in the above URL, the specified owner is a user that exists in an external directory.

SPR #JEF66D00QP

**Reviewer's name related to a workflow review cycle shows in calendar after you upgrade a place**

*Problem* If a calendar page is in the midst of a workflow review cycle when a place is upgraded from R2 to R6.5.1, the current reviewer's distinguished name will appear in the calendar.

*Resolution* Once the reviewer edits or approves/rejects the page, the reviewer's name no longer appears.

SPR #JALS5E6R6V

**A place created in R2.x without an explicit theme selection changes to the default 6.5.1 theme after an upgrade**

*Problem* In R2.x the Default Theme Standard was applied to places created without an explicit theme selection. How do you ensure that these places continue to use the R2.x Default Theme Standard after you upgrade them to R6.5.1?

*Resolution* To retain the R2.x Default Theme Standard in places created in those releases without an explicit theme selection, add the following setting to the qpconfig.xml file before you upgrade the places:

```
<server_settings>
  <upgrade>
    <theme update_default_to_latest="false"/>
  </upgrade>
</server_settings>
```

By default or when you specify theme update\_default\_to\_latest="true" in qpconfig.xml, Team Workplace upgrades places created in R2.x without an explicit theme selection to the R6.5.1 Standard Default Theme. The following table provides examples of upgrade outcomes, depending on R2.x theme selections and the upgrade settings.

Theme selection in R2.x	Theme after upgrade		
	When you set them update_default_to_latest="true"	When you set theme update_default_to_latest="false"	When you do not specify in qpconfig.xml
Default Theme Steel selected	R6.5.1 Simple Steel (equivalent of R2.x Default Theme Steel)	R6.5.1 Simple Steel (equivalent of R2.x Default Theme Steel)	R6.5.1 Simple Steel (equivalent of R2.x Default Theme Steel)
Default Theme Standard explicitly selected	R6.5.1 Simple Standard (equivalent of R2.x Default Theme Standard)	R6.5.1 Simple Standard (equivalent of R2.x Default Theme Standard)	R6.5.1 Simple Standard (equivalent of R2.x Default Theme Standard)
No selection	R6.5.1 Default Theme Standard	R6.5.1 Simple Standard (equivalent of R2.x Default Theme Standard)*	R6.5.1 Default Theme Standard

\*Note if subsequently you change the theme to the R6.5.1 Default Theme Standard and force another upgrade of the place, the upgraded place reverts to using the R3.0 Simple Standard theme. If a forced upgrade is done on a R6.5.1 place which uses the R6.5.1 Default Theme, whether it's a new R6.5.1 place or upgraded place, it will change to the R6.5.1 Simple Theme (equivalent of R2.x Default Theme).  
 SPR #HDAI5FESW7

**Features disabled in a PlaceType are enabled in places after an upgrade from R2.0x to R6.5.1 (Windows only)**

*Problem* If you upgrade a Windows server from R2.x to R6.5.1, features may be enabled in a place created from a PlaceType even though the PlaceType used to create the place disables the features in places.

*Resolution* After upgrading from R2.x to R6.5.1, from a Notes client change the value of the fields "h\_IsInToc" and "h\_IsDisabled." The following table describes where to locate the fields and what values to specify. Note that rather than changing the fields, you can restore a backup of the place not yet upgraded to R6.5.1 and run qptool upgrade on the place using R6.5.1.

Disabled feature	Document to fix	How to Fix
Members (in top room) and Room Security (in inner rooms)	h_members in top room database h_security in inner room databases	set h_IsInToc to "0"
Basics	h_RoomBasics	set h_IsDisabled to "1"
Decorate	h_Decorate	set h_IsDisabled to "1"
Forms	h_Forms	set h_IsDisabled to "1"
Rooms	h_Rooms	set h_IsDisabled to "1"
PlaceTypeOptions	h_PlaceTypeOptions (in top room only)	set h_IsDisabled to "1"
Custom Themes	h_Skins (in top room only)	set h_IsDisabled to "1"
PlaceBots	h_Agents	set h_IsDisabled to "1"
Customize (in top room) and Room Options (in inner rooms)	h_Tailor*	set h_IsInToc to "0"

\*Fix if all features in Customize are disabled.

**Partitioned Servers**

**Can't uninstall a specific Team Workplace server on a partitioned server**

*Problem* When you have multiple Team Workplace servers installed on partitioned servers, when you use the uninstall program to uninstall Team Workplace, all the Team Workplace servers are uninstalled. This limitation does not apply to iSeries servers.

*Resolution* This is a limitation for this release.  
 SPR #QPTR5K6BUA

**Can't reinstall Team Workplace on a partitioned server after previously uninstalling**

*Problem* If use the uninstall program to uninstall Team Workplace, if you then re-install Team Workplace on a partitioned server that was not the last partitioned server installed on the computer, you get a message indicating that Team Workplace

is already installed and asking you whether to upgrade or install in a different location.

*Resolution* This is a limitation for this release.  
SPR #WS4BAE00QP

## **Offline**

### **Offline not supported for Mozilla users**

Taking places offline is not supported for Mozilla browser users.

### **Room Options checkboxes under Offline Options are disregarded**

When synchronizing Offline places all rooms and sub rooms are synchronized regardless of the settings of Room Options checkboxes under Offline Options.  
SPR# ZWWG5VV9S5

### **Offline name\_translation setting is case-sensitive**

If you use the offline name\_translation setting in the qpconfig.xml file to translate LDAP names to Domino-style names for offline use, you must specify the correct case or the feature will not work.

- The LDAP names specified in from\_directory\_name and to\_directory\_name must exactly match the case that is used for the names in the LDAP directory.
- The components of the Domino-style names specified in from\_directory\_name and to\_directory\_name (CN, OU, O, or O) must be uppercase.

For example, the following configuration will fail because the Domino-style components indicated below in **bold** are lowercase.

```
<server_settings>
  <offline enabled="true">
    <name_translation enabled="true">
      <from_directory_name>
        <translate from="uid=(+)/c=(+)/ou=bluepages/o=ibm\com"
          to="cn=1/ou=bluepages_2/o=ibm_com" />
      </from_directory_name>
      <to_directory_name>
        <translate from="cn=(+)/ou=bluepages_(+)/o=ibm_com"
          to="uid=1/c=2/ou=bluepages/o=ibm.com" />
      </to_directory_name>
    </name_translation>
  </offline>
</server_settings>
```

The correct case usage is as follows:

```
<server_settings>
  <offline enabled="true">
    <name_translation enabled="true">
      <from_directory_name>
        <translate from="uid=(+)/c=(+)/ou=bluepages/o=ibm\com"
          to="CN=1/OU=bluepages_2/O=ibm_com" />
      </from_directory_name>
```

```
<to_directory_name>
  <translate from="CN=(.+)/OU=bluepages_(.+)/O=ibm_com"
    to="uid=\1/c=\2/ou=bluepages/o=ibm.com" />
</to_directory_name>
</name_translation>
</offline>
</server_settings>
```

## **Sametime**

### **Team Workplace and Sametime can be installed on the same iSeries server**

Team Workplace and Sametime are certified to be installed on the same iSeries server. For information on the certification status of Team Workplace and Sametime installed on the same UNIX server, contact IBM Support.

### **Sametime 6.5.1 Java toolkit not immediately available**

The Sametime 6.5.1 toolkit will be available within 60 days of Sametime 6.5.1 eGA. When it's available you will be able to download it from the following Web site: <http://www.lotus.com/ldd/products.nsf/products/sametime>. The Sametime 6.5.1 or 3.1 toolkit is required to set up the use of the chat feature in Team Workplace places.

### **The Sametime 3.1 Java Toolkit can be used on a Sametime 6.5.1 server to integrate Team Workplace with Sametime**

You can use the Sametime 3.1 or 6.5.1 Java Toolkit on a Sametime 6.5.1 to integrate Team Workplace with Sametime. Both toolkits provide the StComm.jar and CommRes.jar files required to set up the use of the chat feature. You must use the Sametime 3.1 toolkit on a Sametime 3.1 server.

### **Enabling one client to use Sametime 3.1 Connect and Team Workplace Sametime Links simultaneously on one server**

*Problem* When you sign into a place that uses the Sametime Links feature, then use the same name to sign into the Sametime server with Sametime Connect 3.1, you may be disconnected from the place. The reverse is also true: when you sign in using Sametime Connect 3.1 and then sign into the place, you may be disconnected from Sametime Connect.

*Resolution* Sign into the place first, then sign in using Sametime Connect 3.1. When you are disconnected from the place, use the Chat feature to sign in to the place again. Sametime Connect remains connected.

SPR #WQUN5FUSDY

### **Changes to Sametime audio and video settings in qpconfig.xml are not recognized**

*Problem* If you change the Sametime audio or video setting in qpconfig.xml, the changes don't take effect as expected after server restart.

*Resolution* After you change the Sametime audio or video setting in qpconfig.xml, delete all the cache files under \DOMINO\DATA\DOMINO\QUICKPLACE\CACHE.

SPR #CHIL5C4HAQ

### **Some browsers are not showing Sametime awareness in Team Workplace**

*Problem* Using https for Sametime awareness may prevent some browsers from showing awareness.

*Resolution* Don't use https for Sametime awareness in Team Workplace.

SPR #SLAR5DUP2A

### **External User Directory**

#### **Get error when adding Editor or Manager who is member of Super User group**

*Problem* An error message is displayed, "Problem: You cannot alter the last manager of a room", when adding a member from a directory as Editor or Manager who is also a member of a group that is listed as super user in the qpconfig.xml file.

*Resolution* List the member's name as the super user in the qpconfig.xml file, rather than the group name.

SPR #JPAS5VUK57

#### **If you remap common\_name, users who sign in using the remapped attribute cannot create places**

*Problem* If you map common name to an attribute other than cn in qpconfig.xml, users cannot create places using this mapped attribute and password.

*Resolution* To create a place, the creator must use the cn attribute and the password. However, after the place is created, users may sign in using the mapped attribute. For example, if you map common name to the mail attribute by specifying <common\_name>mail</common\_name>, users cannot create places using the mail attribute and the password, but after the places are created, users can sign in using the mail attribute.

SPR #QPTR5KM53B

#### **Don't use the Team Workplace XML API to create a place with an external directory group as a manager**

*Problem* The Team Workplace XML API interface incorrectly allows you to create a place using an external directory group as manager, although external groups are not supported as place managers. If an external group is a manager of a place its members cannot access the place.

*Resolution* Do not use the XML API to add external groups as place managers.

SPR #TTUY5D2QGH

#### **Paging icons sometimes missing from results of user searches of a Domino Directory**

*Problem* When using broad search criteria, for example show all, to find a name in an external directory that is a Domino Directory, the icons that allow you to navigate multiple pages of results are sometimes unavailable.

*Resolution* Narrow your search to display fewer results.

SPR #AVE15B8PB8

#### **External Membership Management between the API and UI differs**

*Problem* When you add external members through the UI, you cannot successfully do so unless you can access the external directory at the time of the operation. But using the API you are allowed to add members even though the external directory cannot be reached. This can cause problems later on when connecting because there are no indications of a problem during the membership management process through the API.

*Resolution* Before using the API to add members from an external directory, make sure the server can connect to the directory.  
SPR #TTUY5D2TS4

### **Adding large numbers of local members**

*Problem* If your server is set up with an external directory and you try to add a large number of local members at a time, you will get an error.

*Resolution* Add the local members in smaller batches. This problem does not exist when adding large numbers of members from the external directory.

SPR #LZHG54J49J

### **No error when port number in UI doesn't match LDAP server**

*Problem* When administrator attempts to connect to an external user directory through the Team Workplace server UI, and port number in the Team Workplace UI doesn't match the port of the LDAP server, no lookup error appears.

*Resolution* A fix will be considered for a future release.

SPR #GWAG53B6HX

### **Error message unclear when lookup finds ambiguous or non-existent names**

*Problem* When attempting user lookups, if an ambiguous name or a name that does not exist in the directory is entered, the resulting error message is unclear. If attempting to enter user name "user1", the appropriate error message should be: "Problem: These entries had multiple matches in the directory and could not be added :user1"

*Solution:* Please resolve these entries before continuing. Click your browser's back button to try again."

*Resolution* A fix will be considered for a future release.

SPR #GWAG53B3VU

## **Place Catalog**

### **Prefix URL not sent to server entries**

*Problem* When Team Workplace server uses a prefix URL, the URL is not being sent to the server's Place Catalog entry.

*Resolution* When you specify a prefix URL for a QP server, you must copy this prefix setting to each server record in the PlaceCatalog in the PlaceServerAccessURLPrefix field.

SPR #SSHI5CCS9U

### **Deleting an object from a place does not update the place's PlaceLastModified statistic in the Place Catalog**

If you delete an object from a place and then run the QPTool placecatalog command with the -push argument on the place, the PlaceLastModified statistic for the place is not updated in the Place Catalog to reflect the time of the object deletion.

SPR #HTTN5BY5EM

## **Places**

### **Updated By field shows name of editor who cancels out of page without editing**

If a user with editor access to a page opens the page but cancels out of the page before editing, the Updated By field incorrectly shows the user's name as the last editor.

SPR #BKOB5UTMEA

### **Anonymous user can not create place from browser running on same machine as server**

*Problem* Anonymous users cannot create places from a browser running on the same machine as the Team Workplace server.

*Resolution* Anonymous users should create places from a browser running on a different machine from the Team Workplace server.

SPR #KHIA5VNMFF

### **Local users with @ in their names cannot receive e-mail notifications**

*Problem* A local user whose name in a place contains @ cannot receive e-mail notifications. For example, this problem occurs when an e-mail address containing @ is used as the local user name in a place.

*Resolution* Do not use @ in the names of local users.

SPR #JPAS5SQSX9

### **Manager of a place can't edit member profile**

*Problem* A manager of a place whose name has an accented character and who has no email address specified, or a manager of a place with an email address that contains the character "<" can't edit his or her member profile.

*Resolution* This problem is caused by a "<" character in the user's email address. Note that when a manager whose name contains an accented character has no email specified, Team Workplace generates an email that includes the "<" character. To correct the problem, specify an email address, and make sure it does not include the "<" character.

SPR #QPTR5K78BD

### **Can't download and open a PowerPoint page**

*Problem* Using Office XP on the client, you can't download and open a Microsoft PowerPoint page from a Windows 2000 server.

*Resolution* To work around this, do not click Download then Open. Instead, click Save and open the file locally from your hard disk.

SPR #QPTR5HTSMY

### **Editing an Excel page uploaded from a place causes problems editing other open Excel files**

*Problem* When you use Office 2000 and download an Excel page from a place and edit it, problems can occur when editing other Excel files while the page is downloaded. For example, problems such incorrect placement of edits or incorrect formula calculations in other Excel files can occur. This problem does not occur if you use Office XP.

*Resolution* To workaroud the problem, either save the page locally and then attach it again when you're done editing, or keep other Excel files closed while you edit.

SPR #TBAE5HV8JA

**Hyperlink point size specified in a Word document not displayed correctly**

*Problem* When you create a Microsoft Word Page and add a hyperlink that has a point size different than the default point size, when you publish the page, the hyperlink point size reverts to the default.

*Resolution* To work around this problem, after you create and format the size and other properties of the hyperlink, copy the hyperlink to the clipboard and then paste it back into the Word document. Then publish the page.

SPR #WQUN5KRTJ8

**Problem adding two groups as members when one group is already a member**

*Problem* If you add two groups as members of a place in one Add/Remove Members page, first a new group member and the second an existing group member, you'll correctly get an error message. However, if you then click Try Again - Back - Done, the Members link in the TOC displays the new group, but the new group is not displayed when you click Add/Remove Members.

*Resolution* Delete the new group and add it again without also adding the existing group.

SPR #QPTR5L8AJ4

**Link Page doesn't work if full URL not specified**

*Problem* In a Link Page you omit the http:// from the URL specified in the "URL that this page should link to" field and the link doesn't work.

*Resolution* Specify the full URL, including the initial http://.

SPR #QPTR5HY4PV

**Workflow doesn't work for members who access places through an external group**

*Problem* Users who access a place through membership in an external group cannot receive workflow email notifications.

*Resolution* Add users who participate in workflow as explicit place members of places.

SPR #RSCR5GSKXM

**Warning appears when you move or copy a page to a room when the room's Room Index is hidden**

*Problem* When the Room Index is hidden for a room, a warning appears whenever a user moves or copies a page to the room.

*Resolution* Click OK to close the warning dialog box. The page is moved or copied despite the warning.

SPR #QPTR5KK5D9

**Creating a page invokes MS Office 2000 auto installer**

*Problem* The user attempts to create a page and the MS Office 2000 installer opens and attempts to install MS Office features. This requires the user to have access to the original source of installation of MS Office 2000, which the user might no longer have access to.

*Resolution* The user must do one of the following:

- 1) If access to the MS Office installation is available, allow the auto-install to complete. This is only necessary once.

- 2) If access to the MS Office installation is not available, disable the HTML Source Editing feature of MS-Office 2000 by opening MS Office 2000 in Maintenance Mode.
- To disable the HTML Source Editing feature on Windows NT, open Control Panel - Add/Remove programs - Microsoft Office 2000 - Change. Then select Office Tools - HTML Source Editing - Not Available.
  - To disable the HTML Source Editing feature on Windows 95 or 98, open Control Panel - Add/Remove programs - Microsoft Office 2000 - Add/Remove. Then click Add or Remove features - Office Tools - HTML Source Editing - Not Available.

This problem is currently registered with Microsoft support under this incident report: <http://support.microsoft.com/default.aspx?scid=kb;ES-ES;q304107>

SPR# TESA5JNM66

### **When you hide a room's index users can't see published pages**

*Problem* When a place manager uses Room Options to hide a room's index, users can't see published pages if there is no folder to display them.

*Resolution* If you hide a room's index, make sure you create at least one folder in the room for displaying pages.

SPR #WQUN5FDTNL

### **Team Workplace doesn't mail multiple types of notifications when a user publishes a page**

When publishing a page a user can choose to mail a general notification, to post the page as a calendar event that mails a notification to calendar subscribers, and/or to mail a task assignment. These options are available by choosing "Publish As," by choosing an option in a form, or through a combination of the two methods. When a user selects more than one of these notification options when creating a page, Team Workplace typically can send only one type of notification.

The following table describes which type of notification Team Workplace sends with various combinations of notification options specified. X indicates a specified notification option.

General Notification			Calendar Event Notification		Task Assignment Notification	Type of notification sent
#	Publish As	In Custom Form	Publish As	In Custom Form	In Task Form or Custom Form	
1	X					General notification mailed
2		X				General notification mailed
3			X			Event notification mailed to subscribers
4				X		Event notification mailed to subscribers
5					X	Task assignment notification mailed
6	X		X		X	Only general notification mailed. "Send to" field automatically

						contains the name of user to whom the task is assigned. If the Calendar option "Send calendar events to subscribers" is selected as "Always" or "Allow the author to choose..." it is grayed out.
7	X		X			Only general notification mailed. If the Calendar option "Send calendar events to subscribers" is selected as "Always" or "Allow the author to choose..." it is grayed out.
8	X			X		Only general notification mailed. Event notification is not mailed even if the Calendar option "Send calendar events to subscribers" is selected as "Always" or "Allow the author to choose..."
9		X	X			Same as #7
10		X		X		Same as #8
11	X				X	Only general notification mailed. "Send to" field automatically contains the name of user to whom the task is assigned
12		X			X	Same as #11
13			X		X	Only task assignment notification mailed. Event notification is not mailed even if the Calendar option "Send calendar events to subscribers" is selected as "Always" or "Allow the author to choose..."
14				X	X	Same as #13
15	X			X	X	Mails the general notification and the task assignment notification. Event notification is not mailed even if the Calendar option "Send calendar events to subscribers" is selected as "Always" or "Allow the author to choose..."
16		X		X	X	Same as #15

SPR #MTAI5CUEHC

**Images in imported HTML pages do not appear when downloaded**

*Problem* If you import to a place an HTML page with images, then download the page (with the "download" link in the table of contents), the images will be broken.

*Resolution* This may be fixed in a future release.

SPR #AVEI5D7RQ8

**CreateHaiku URL not supported for Netegrity SiteMinder**

*Problem* A URL such as the following is not supported for Netegrity SiteMinder:  
[http://oates.acme.com/QuickPlace/quickplace/CreateHaiku.nsf?OpenDatabase&PresetFields=h\\_SetEditCurrentScene;h\\_CreateManager,h\\_EditAction;h\\_Next,h\\_SetCommand;h\\_CreateOffice,h\\_PlaceTypeName;,h\\_Name;take5,h\\_UserName;200001288,h\\_SetPassword;pw,h\\_EmailAddress;,h\\_SetReturnUrl;http://oates.iris.com/take5](http://oates.acme.com/QuickPlace/quickplace/CreateHaiku.nsf?OpenDatabase&PresetFields=h_SetEditCurrentScene;h_CreateManager,h_EditAction;h_Next,h_SetCommand;h_CreateOffice,h_PlaceTypeName;,h_Name;take5,h_UserName;200001288,h_SetPassword;pw,h_EmailAddress;,h_SetReturnUrl;http://oates.iris.com/take5). If the CreateHaiku URL is used, the place is not created and Team Workplace shows the error "You are unable to sign in to this place."

*Resolution* Do not use the CreateHaiku URL with Netegrity SiteMinder.

SPR #AVEI5DEPQM

**Newsletter may be missing documents created offline**

*Problem* The content of Newsletters uses modified date to figure out if the page needs to be included in the newsletter. If a page was created offline and then synchronized the modified date is stamped when it was created while the user was offline - this may lead to that page not being included in the newsletter.

*Resolution* A fix will be considered for a future release.

SPR #JBRE5BXE7V

**Room map does not correctly display room names with "<" in the name**

*Resolution* A fix will be considered for a future release.

SPR #MTAI5CQCKN

**File beginning with Image (capital "I") cannot be uploaded to a page**

*Problem* Users cannot upload a file whose name starts with Image (with a capital "I") to a new page using the upload control. The pre-fix "Image" is reserved internally by the rich-text control insert image feature.

*Resolution* Rename the file.

SPR #YOMA5B3DBZ

**The difference between a place's title and Internet address/name**

A place's title differs from the Internet address/name in that the title can have spaces and punctuation and use any character set (such as Chinese). The name has to be a single word with ASCII characters only.

**It is possible when creating a response page to delete the parent page**

*Problem* Create a response to a page. Before you save the response, it is possible for the page that you are responding to, to be deleted.

*Resolution* Your response can be found in the index. In order to make it a regular page, not a response, you can use copy to make a new copy of it which you may then put in any folder you want.

SPR #JLE32C00QP

**Pages titled "Customize" in the toc can only be seen by managers**

*Problem* When user creates a page titled "Customize" and publishes it to the table of contents, they can't see it.

*Resolution* Be cautious when creating any pages in the TOC named "customize" as they will exhibit the same behavior as the shipped Customize link. Since only Managers of the place can see the shipped customize link, the same will hold for any custom pages named "customize".

SPR #JWEI5494WS

**Local managers with no email cannot send invitations to new users**

*Problem* If the manager of a place is a local user (not from an external directory) and does not have an email address, they cannot send email invitations to new users.

*Resolution* This is expected behavior.

SPR #HX3B1E00QP

**Unclear ownership for approval cycle documents if edited by "page creator" after approved by all reviewers**

*Problem* If using workflow to approve a document, when the "page creator" edits the page after it has been approved by all reviewers, the "author column" does not reflect that the first reviewer must take action. You can continue the approval cycle, however.

*Resolution* The problem only happens on pages in folders newly created for the QP. If you use folders that ship with QP, the problem does not exist.

SPR #JCHG549B8V

**Changing a form's workflow type prevents edits to existing pages**

*Problem* If you change a form's workflow type from standard to editor-in-chief or approval cycle and you have existing pages that were created with older version of the form, you cannot edit the pages.

*Resolution* Change the form back to standard workflow and create a new form for the editor-in-chief or approval cycle workflow.

SPR #GW664100QP

**PlaceTypes****When you do a basic refresh of PlaceType after an upgrade, the PlaceType doesn't inherit changes from its source.**

*Problem* When you do a basic refresh of a PlaceType that you upgraded from R2, the PlaceType doesn't inherit changes from the source.

*Resolution* Do a replace using qptool refresh with the -r argument the first time you refresh a PlaceType after upgrading it.

SPR #QPTR5K72XR

**Creating a PlaceType from a place that contains an online meeting propagates the meeting to children of the PlaceType**

*Problem* If you create a PlaceType using a place that contains an online meeting, all children created from the PlaceType inherit that one meeting.

*Resolution* Do not create a PlaceType from a source place that contains online meetings.

SPR #QPTR5L758R

**Rooms in a place created from a PlaceType show the name of the source place**

*Problem* Some pages in a room created from a PlaceType show the name of the place used to create the PlaceType rather than the current place name.

*Resolution* From Notes, look at the field h\_HaikuName in the document h\_RoomSettings in the room (PageLibraryxxx.nsf database). The h\_HaikuName field shows the source place name. Change the value of this field to be the current place name for each PageLibraryxxx.nsf database manually or with an agent.

SPR #RSCR5KQDLW

### **Refreshing a place does not update room settings (Windows only)**

*Problem* When you update room settings in a PlaceType and you haven't changed room settings directly in a child place, doing a basic refresh of the child place should update the room settings in the place with the new settings in the PlaceType. On the Windows platform, however, refreshing a place never updates room settings.

*Resolution* On the Windows platform, update room settings in places manually.

SPR #MBAA5EBKHZ

### **Refresh a PlaceType before refreshing a child place**

*Problem* If you change the content of the source place that a PlaceType uses and you refresh a child place without first refreshing the PlaceType, when you do refresh the PlaceType and then refresh the child place again, content changes made in the source before the refresh of the PlaceType are not pushed to the child place.

*Resolution* Re-create the content changes in the source, refresh the PlaceType again, then refresh the child place again. To prevent the problem from occurring, refresh a PlaceType before refreshing the child places.

SPR #MMGN5EKNYL

### **When Author runs a Placebot in place created from PlaceType, PlaceBot log is not created**

*Problem* A PlaceType is created from a place which contains a user with author access and a PlaceBot. A new place is created from the PlaceType. When the Author runs the PlaceBot in the new place, a PlaceBot log is not created in the new place.

*Resolution* The workaround is to log in to the place as an Manager, open the PlaceBot in the new place, and click Done. The PlaceBot will run again and create a PlaceBot log.

SPR #MJ18E700QP

### **Cannot re-use PlaceType name until PlaceType is actually deleted**

*Problem* You delete a PlaceType through the UI or using qptool remove. When you try and create a new PlaceType with the same name, you get an error message indicating the name is already taken.

*Resolution* When a PlaceType is deleted either through the UI, or through the qptool remove command, the PlaceType is marked for deletion. The PlaceType will not show up in the PlaceTypes list in Quickplace/quickplace but it still exists on file system. You won't be able to use this same name for a PlaceType until the qptool remove -cleanup runs and removes the deleted PlaceType.

SPR #HDAI5BBRK5

### **qptool remove command does not remove a PlaceType specified in an XML input file**

*Problem* When you use qptool remove with the -i argument to remove a PlaceType specified in an XML input file, the PlaceType is not removed even though the XML output file indicates that the PlaceType is marked for deletion.

*Resolution* To remove a Place Type, use qptool remove with the -pt argument rather than the -i argument.

SPR #PKAY5FGG8M

### **Child place does not inherit changes to a room name in the PlaceType**

*Problem* When you change the name of a room in a PlaceType a child place does not inherit the name change.

*Resolution* To change to the new room name, the manager of the place must change the name of the child place manually by publishing the new room name in room settings. The manager may need to do this step twice for the change to take effect.  
SPR #JY254C00QP

### **Can't refresh Customize options in a place after making changes to the PlaceType**

*Problem* You can't refresh Customize options in a place after making changes to the PlaceType. For example, create a place called PlaceA, make a PlaceType from it called PT, and create a place called PlaceB from PT. Edit the PlaceType Options page for PlaceA and disable areas such as Custom Themes, Rooms and PlaceBots from showing in future places. Refresh PT and then refresh PlaceB. Notice that the Customize options have not been correctly refreshed in PlaceB. Note that a new place created from PT has the correct options.

*Resolution* This is a known problem that may be addressed in a future release.  
SPR #MPUL5FWJK9

### **Error when clicking the next button continually when editing a PlaceType**

*Problem* When you click Edit to edit a PlaceType, then click Next before waiting for the screen to change, you get "Document has been deleted." The PlaceType has not been deleted and can be recovered and used.

*Resolution* When editing PlaceTypes, ensure you wait for each screen to load before clicking Next.

SPR #CSUN55T9W5

### **Cannot create a place from a new PlaceType until click Refresh List**

*Problem* After you create a new PlaceType on a cluster node, you cannot immediately create a place from the PlaceType.

*Resolution* After an administrator creates a new PlaceType in a cluster, the administrator has to sign in to each node on the cluster and click Refresh List before he or she can create a place from the new PlaceType.

SPR #HDAI5ARLBF

### **"Folder Options" not available when PlaceType prevents managers from changing the table of contents**

If you create a PlaceType that prevents managers from making changes to the table of contents, when you create places with that PlaceType, "Folder Options" are not available in those places.

SPR #CDUY5ADS8T

## **QPTool**

### **Changehierarchy command adds entries to the Place Catalog in situations when it shouldn't**

*Problem* The changehierarchy command puts an entry in the Place Catalog even when the Place Catalog is disabled or when it is run on the quickplace place.

*Resolution* Run `qptool unregister -p placename`.

SPR #QPTR5M497E

### **Addmember command fails when you mistakenly use the -g argument to add an individual user**

*Problem* When using addmember to add an individual user as a member of a place, you mistakenly use the -g argument. The user is partially added as a group and the addmember command fails.

*Resolution* Use qptool unlock -p *placename* to unlock the place, then delete the partial entry from the Members view. Add the name back correctly using addmember without the -g argument.

SPR #QPTR5KRAQ3

### **Must unlock archived place before moving it back and registering**

*Problem* When you archive a place (qptool archive), then remove the place (qptool remove or qptool remove -now), you will get an error if you copy the place back from the archive directory, then try and register it (qptool register).

*Resolution* You must unlock the place (qptool unlock), then register it.

SPR #HTTN5CSCSV

### **Can't remove a local user name**

*Problem* You try to remove a local user name from a place using the QPTool removemember command, but the name isn't removed.

*Resolution* This problem can occur if the internal name for the user does not reference the correct place name -- for example, if you forgot to register a place after renaming it. To correct the problem, do the following before running the removemember command:

- 1) From the renamed place, click Members.
- 2) View the source page from the browser. For example, from Internet Explorer choose View - Source.
- 3) Search for *cn=username*, where *username* is the common name of the user you want to remove.
- 4) Make a note of the user's full canonical name. The name begins with *CN=username/OU=oldplacename/OU=QP/* and ends with the certifier of the server -- for example: "*CN=alice brown/OU=place1/OU=QP/O=acme*".
- 5) Run the following QPTool command:

```
>load qptool changemember -p placename -sourcedn oldusername -targetdn newusername
```

where: *placename* is the name of the renamed place, *oldusername* is the name found in step 4, and *newusername* is the name found in step 4 but substituted with a first OU that references the new place name.

For example:

```
>load qptool changemember -p place2 -sourcedn "cn=alice  
brown/ou=place1/ou=QP/o=acme" -targetdn "cn=alice  
brown/ou=place2/ou=QP/o=acme"  
SPR #JNES5H8QGY
```

### **QPTool changemember appears to change a user to a group**

*Problem* The QPTool changemember command appears to change a user to a group.

*Resolution:* Changing a user into a group using the QPTool changemember command is not allowed. The change will appear to have worked, however, if you omit the -targetg flag required for specifying the target group.

SPR #PKRR5EXTA5

### **The QPTool report command returns the error "Database is not full-text indexed"**

*Problem* When you run the QPTool report command, the server console displays the error "Database is not full-text indexed."

*Resolution* This error occurs when a server is using a default local Place Catalog that is not yet populated. To correct the problem, do one of the following:

- Populate the local Place Catalog and update its full-text index.
- Remove the local Place Catalog, specify the name of the local Place Catalog in the qpconfig.xml file, and restart the server.
- In the qpconfig.xml file specify a Place Catalog on another server and restart the server.

SPR #JРАН5BF5NH

### **Uppercase places names specified in XML input are converted to lowercase**

If you use XML as input to a QPTool command, any uppercase characters in place names are converted to lower case. This is equivalent to the behavior when creating a place via the UI. For example, if the following XML is used as input to the qptool execute command, the resulting place name will be "createplace1\_3".

```
<service>
  <servers>
    <server local="true">
      <places>
        <place action="create">
          <name>CreatePlace1_3</name>
          <title>John Lennon's Create Test Place # 3</title>
          <members>
            <person>
              <dn>cn=John Lennon,ou=People1,o=haiku</dn>
            </person>
          </members>
        </place>
      </places>
    </server>
  </servers>
</service>
```

SPR #BTLW5EWCAV

### **QPTool does not archive a place that already exists in the specified archive directory**

*Problem* If you run QPTool archive and the place already exists in the target archive directory, the archived place is not updated. No error message occurs in this situation.

*Resolution* Delete the existing archive or rename the existing archive before running QPTool archive, or archive to a different directory.

SPR #MHEG5D8R29

### **Can't use QPtool commands on a place whose name begins with a hyphen.**

*Problem* Can't use QPTool commands on a place whose name begins with a hyphen.

*Resolution* For a 2.0.x place that is being upgraded, rename the directory from the file system and upgrade and register under the new name (no leading hyphen).

For new places, use input xml file instead of -p (or -pt). For example, if you want to archive such a place, do the following:

1. >load qptool unlock -p anotherplacewithoutthisproblem
2. Edit qptool.unlock.xml
3. Change anotherplacewithoutthisproblem to -placename, save
4. >load qptool archive -i qptool.unlock.xml -dir d:\archivedirectory

SPR #MJAS5DGL94

### **Qptool changemember does not change the name in existing page banners**

*Problem* When you use the qptool changemember command to change the name of a user in places, the original user name continues to show in the page banners of pages the user created under the original name.

*Resolution* The h\_AlternateName field shows the original author's display name. Edit the page and save it to display the new name instead.

SPR #MJAS5ARN4R

### **Flush the cache before running qptool remove -cleanup**

*Problem* qptool remove -cleanup following qptool remove -p placename does not remove the place from the file system.

*Resolution* From the server console, execute >dbcache flush after executing qptool remove -p placename. This will clear any connections to the databases you want to remove. Then execute qptool remove -cleanup. In most instances, forcing a flush of the cache is not needed since qptool remove -cleanup runs off hours after the cache has already been cleared.

SPR #MESA5CMUX9

### **Problem using nqptool commands on server/program command line**

*Problem* The server/program command line has an 80 character limit. If you are entering an nqptool command longer than 80 characters, it will not execute.

*Resolution* Use either the Domino server console, the command prompt, or use and input file and run nqptool execute -I <inputfilename>.

SPR #MJAS5ARPKY

## **Security**

### **Can't remove members of a local group when expanded membership enabled in a place**

*Problem:* When expanded membership is enabled in a place, you cannot remove a member from a local group.

*Resolution:* To remove a member from the local group, perform the following steps:

1. Edit the group and click on the Members button.
2. In the Select Members dialog box, type the first name of the user to delete (or click Show All), and then click Search. The member's name appears with a check mark next to it.
3. Click the check mark to remove it from the name.
4. Click the Add button to remove the name from the group.

SPR #THES6G2KWX

### **QuickPlaceDSAPIFilters setting no longer required for Netegrity SiteMinder 5.5**

In QuickPlace R3 the notes.ini setting QuickPlaceDSAPIFilters was required to configure QuickPlace to work with a Domino DSAPI application such as Netegrity SiteMinder. This setting is no longer required in Team Workplace 6.5.1. Instead the SiteMinder filter should be specified as a Domino DSAPI filter in the Domino server document. The SiteMinder DSAPI filter should be specified in front of the QuickPlace

filter, nquickplace.dll. Note that the notes.ini setting QuickPlaceUseDSAPIDNs=1, which tells Team Workplace to trust the distinguished names returned by the DSAPI application, is still required in a Netegrity SiteMinder environment. When using SiteMinder 5.5, you should obtain from Netegrity the hotfix for Domino 6.0.2, V5QMR5-HF007.

For documentation on configuring Team Workplace to work with Netegrity SiteMinder and other DSAPI applications, see the IBM Technical Support site on the Web at <http://www.ibm.com/support>.

### **Changing local reader name to external manager name in expanded membership place retains reader access for the changed name**

*Problem* If a place uses expanded membership and you use the QPTool changemember command to change the name of a local reader to the name of an external manager, the changed name may retain reader access.

*Resolution* After you run the changemember command, use the Team Workplace UI to change the access to manager.

SPR #JN115W299D

### **Sign Out link not displayed with Tivoli Access Manager's LTPA junction**

When Team Workplace is used with Tivoli Access Manager's LTPA junction, the sign out link isn't displayed.

SPR #KHIA5TUS9Z

### **Single sign-on not working when the Configuration name in the Web SSO configuration document is not "LtpaToken"**

*Problem* When you create a Web SSO configuration document as part of single sign-on setup, if you do not specify the default Configuration name, LtpaToken, in the document, single sign-on doesn't work.

*Resolution* Delete the Web SSO configuration document and create a new one, accepting the default Configuration name LtpaToken, then restart the server.

SPR #RSCR5VNF MJ

### **Limited access in Administration place when user is Creator and the user's group is Administrator**

*Problem* Log into a Team Workplace server as an Administrator. Add a new member named John Doe as a Creator. Add a new group named Group1 as an Administrator. John should be a member of Group1. When John Doe logs into the Administration place on the Team Workplace server, he cannot see the PlaceTypes folder. He can see the Server Settings room, but when he tries to create a new user, he gets an error.

*Resolution* Working as expected. John Doe is only a Creator and therefore should not have access to certain areas of the Administration place.

Administration place security:

On a Team Workplace server, the Administration place is made up of the following rooms:

**Main.nsf** - main room. The sidebar in this room has the following (with the following access):

- Welcome page – Available to anyone with access to main room.
- My Places page - Available to anyone with access to main room.
- Create Place room link - Available to Creators and Administrators.

- Place Types folder - Available only to Administrators.
- Server Settings room - Available only to Administrators.
- Time Zone page - Available to anyone with access to main room.
- Help - Available to anyone with access to main room.

**CreateHaiku.nsf** - room for creating places. Creators and Administrators are on the ACL.

**Admin.nsf** - Server Settings room. Available to Administrators.

**Contacts1.nsf** - Administrators have Read/Write access.

When a user is added to the Administration Place as a Creator, the user's distinguished name is added to CreateHaiku.nsf as an Author.

When a user is added to the Administration Place as an Administrator, the user's distinguished name is added to CreateHaiku.nsf as a Manager, to Admin.nsf as a Manager, and to Contacts1.nsf as a Manager.

In the example, John Doe is a Creator, and his group, Group1, is an Administrator, so the ACLs of the databases are as follows:

DB	ACL	
==	===	
Contacts1.nsf	h_Members/quickplace/QPcert Group1/Group/Org	(reader) (manager)
CreateHaiku.nsf	John Doe/People/org Group1/Group/Org	(author) (manager)
Admin.nsf	Group1/Group/Org	(manager)
Main.nsf	open	

When John Doe logs in, he can see the links for Server Settings because he is in Group1. But when he tries to add a new Creator he gets an error. This is because Team Workplace tries to write name of the new Creator to CreateHaiku.nsf. Since John Doe is explicitly named as an Author in this ACL, he does NOT have manager access to this database, and therefore gets the error. The ACL rule for Domino is that when an individual is explicitly named in the ACL, that is his access level. He only gets the highest level of access of his group membership when he is NOT explicitly named in the ACL.

SPR #HTTN5DGDH8

### **When using Netegrity SiteMinder, HTTP restart command crashes server**

*Problem* When using Netegrity SiteMinder, the "tell http restart" command causes a server crash.

*Resolution* Enter "tell http quit" then "load http" instead of "tell http restart."

SPR# MHEG5DHT9P

### **External user re-challenged when they click Customize**

*Problem* When an external user logs into an unupgraded place and then logs into a new place, the user is re-challenged when trying to display the customize scene. The problem only occurs when the server is set up with basic authentication. It is not a problem when the server is set up for MSSO.

*Resolution* You can do any of the following:

1. Switch to MSSO instead of basic authentication.

2. Upgrade the old place
  3. The user can wait until the Domino user cache timeout period before accessing the new place.
- SPR #JRUO5C4SCM

### **Users must sign in to see My Places**

*Problem* When a QP member (an external user) signs in to a place and clicks My Places, they are taken to the Team Workplace server, which says "No Places Listed". The user must Sign in to the Team Workplace server before their places will appear in My Places.

*Resolution* The Domino server is not set up correctly for single sign-on authentication. See the Domino Administrator Help and the *Team Workplace Administrator's Guide* for information on setting up session-based authentication.  
SPR #WQUN5AKLCR

### **Super User can't delete content in a place previously upgraded from 2.0.8 to 3.0 or 3.0a**

*Problem* If you upgraded a place from R2.0.8 to R3.0 or to R3.0a before upgrading to R6.5.1, a user with Super User access cannot delete content in places. This problem does not occur if you upgrade from R2.0.8 directly to R6.5.1.

*Resolution* To correct the problem, run the command `qptool repair -a`.

### **A super user can't access places from a Notes client**

*Problem* You have super user configured in `qpconfig.xml` and a super user can access places as super user from a browser but cannot access places from a Notes client.

*Resolution* Add the group `QuickPlaceAdministratorsSUGroup` to the Domino Directory used by the Notes client and include the super user individual or group as a member. Note that you could theoretically have two different super users, one for access from the browser set in `qpconfig.xml` and one for access from a Notes client. If the Team Workplace user directory and the Notes client Domino Directory are the same, you can manage the super user in one place.

SPR #MEBFDB00QP

### **Flat group used for super user access not working**

*Problem* You specify a group with a flat name in the `super_user` section of `qpconfig.xml` to control super user access from a browser, but members of the group do not get super user access. A flat group is a group with one rather than multiple components in its name, for example `cn=sugroup`.

*Resolution* Change the group name from flat to hierarchical in the user directory. For example, change the name from `cn=sugroup` to `cn=sugroup,o=acme`.

SPR #QPTR5LASWA

### **Sign out option doesn't appear**

*Problem* You do not see the sign out option after you sign in to Team Workplace.

*Resolution* You only see the sign out option if multi-server session authentication is being used or if you are using an ActiveX®-enabled browser such as Microsoft Internet Explorer. ActiveX is disabled for accessibility, so to sign out with accessibility requires multi-server session authentication.

SPR #YHAO57Z4GF, #WQUN5D6SFG

### **If member has authenticated via DSAPI filter, we only need matching name to get additional info**

If a user accesses a place using the DSAPI filter (or any mechanism for pre-authentication), as long as the user's name is listed as a member in the place the user is not challenged. It does not matter if the user has a different password.  
SPR #MJ751C00QP

### **<super\_user enabled="false"> setting in qpconfig.xml is ignored**

*Problem* Setting the super\_user enabled setting to "false" in qpconfig.xml does not disable the super user feature.

*Resolution* To disable the super user feature, instead comment out or remove the <super\_user> section in qpconfig.xml and restart the server.

SPR #BROK5E9NLC

## **International**

### **Problems rendering pages on Japanese and Korean Windows servers**

*Problem* If Team Workplace is running on a Japanese or Korean language Windows server, clients may have problems rendering pages.

*Resolution* On those language servers, you must change the server's currency setting to something other than the default setting. For example, on a Japanese Windows server, change currency setting at Window's regional setting from yen (¥) to dollar (\$).

SPR #TCHU5W2HH4

### **Accessibility Mode not working for users with names containing DBCS characters**

*Problem* If users who have DBCS characters in their names enable Accessibility Mode in their Member Profiles and change the color scheme, the change does not take effect.

*Resolution* This may be addressed in a future release.

SPR #TCHU5JM9UP

### **QPTool commands on DOS prompt don't work for non-ASCII character strings as arguments (Windows only)**

*Problem* QPTool commands issued from the DOS prompt don't work for non-ASCII character strings as arguments.

*Resolution* Code page for the DOS prompt should be set to appropriate code page by DOS 'chcp' command (e.g., 1252 for Western languages).

Also the locale setting needs to be configured properly from the Regional Options in Control Panel. Additional note: non-ASCII character strings are not supported in the Administrator client or on the server console.

SPR #KHIA5ASL2H

### **Mail is not sent when you use DBCS strings in a qptool sendmail template**

*Problem* Using a qptool sendmail template with double byte character set (DBCS) strings results in a parsing error on the console during execution and the mail is not sent.

*Resolution* To use DBCS strings in the template for the qptool sendmail command, use a text editor which saves the file in UTF-8 or Unicode format, but does not retain the Byte Order Mark (BOM). The BOM is causing the parsing error.

SPR #HTTN5BYC7E

**Cannot sign in as administrator using a DBCS user name that is a member of an administrators group with a DBCS name**

*Problem* You cannot use a DBCS user name that is a member of a group of administrators with a DBCS name to sign in as a Team Workplace administrator. Such a user is unable to see "Server Settings" and the "PlaceTypes" links in the table of contents.

*Resolution* Use ASCII names for Team Workplace administrators that are members of administration groups with DBCS names.

SPR #BTLW59VCQK

**Mozilla browser displays Traditional Chinese characters as "????"**

*Problem* Mozilla browser displays Traditional Chinese characters as "????"

*Resolution* Set Traditional Chinese encoding (View – Encoding - Traditional Chinese). Then make current setting as default (View - Character Set - Set Default Character Set).

SPR #TC28FD00QP

**DBCS names not supported in Domino Directory environment**

A Double Byte Character Set (DBCS) in external directory user and group names is only supported for an LDAP user directory. If you are still using the Domino Directory through NRPC during a 2.0.x to 6.5.1 upgrade, DBCS user and group names in the directory are not supported.

SPR #MHKM5889GG

**Cluster with different language versions not supported**

A cluster containing servers with different localized language versions is not a supported configuration in Team Workplace 6.5.1.

**Team Workplace does not support creating group names with traditional Chinese characters.**

SPR #LCHG54E6MZ

**QP may install US dictionary on pcs whose default regional setting is English (UK)**

*Problem* During installation, Team Workplace may install an English (US) dictionary on machines that have English (UK) as the default regional setting. Subsequently, spellchecker will use the English (US) dictionary and not the desired English (UK) dictionary on Team Workplace pages created by users of the English (UK) language.

*Resolution* For global English, both US (wpdic.dic) and UK (unused.dic) dictionaries are installed in Team Workplace. So, if English (US) is the default regional setting of the machine on which Team Workplace will be installed, nothing needs to be done.

However, if English (UK) is the default regional setting of the machine on which Team Workplace is installed and Team Workplace is using the English (US) dictionary with spellchecker, then the current unused.dic and wpdic.dic files will have to be renamed for an English (UK) dictionary install. To rename the current .dic files:

Go to lotus\quickplace\data\quickplace and locate the two .dic files.

Rename the current wpdic.dic file to wpdicbak.dic.

Rename the current unused.dic file to wpdic.dic.

Rename the wpdicbak.dic file to unused.dic.

The two dictionary files should now be named correctly for an English (UK) dictionary install.

SPR: WQUN52QPS7

## **Browser**

### **Sign Out link missing on Mozilla Browser**

The Sign Out link may be unavailable using the Mozilla 1.4.1 browser.

SPR #BKOB5VVSTD

### **Signout only appears on Mozilla if MSSO is being used on the server**

*Problem* User opens a place with Mozilla and signs in. Once they're in, there's no "Sign out" link next to their name in the upper left corner.

*Resolution* The "Sign out" link only appears for Mozilla users if multi-server single sign on authentication is being used on the server.

SPR #WQUN5D3QMM

### **QPTool errors that result from administrative actions initiated from the browser do not display in the browser**

*Problem* When you initiate administrative actions from a browser that invoke the QPTool task such as refreshing a PlaceType, any errors that occur do not show up through the browser.

*Resolution* When you initiate administrative actions from the browser that invoke QPTool on the server, check the server console for any error messages.

SPR #WQUN5DBNU3

### **Do not specify a drive letter in an imported HTML file with Mozilla and DBCS**

When importing an HTML file with Mozilla and Double Byte Character Set (DBCS), references (or source URL) in the HTML file should not contain a drive letter. If the file contains a drive letter, the Team Workplace server does not parse correctly and the user gets challenged to authenticate an invalid realm.

SPR #JL67C700QP

### **In IE5.5 squares appear next to rooms in Room Map**

*Problem* When using the Room Map with IE5.5 you may see little squares next to rooms that you have visited.

*Resolution* The squares are there because the browser is set as follows: Internet Options – Advanced – Multimedia - Show image download placeholders. Turn that setting off and you won't see the squares. This does not happen in the other supported versions of IE or NS.

SPR #JNES5AYP39

### **When modifying stylesheets in a theme, make sure class is lower case**

*Problem* Sometimes changes to skin components do not appear in IE.

*Resolution* When modifying stylesheets in a theme, if they don't seem to be taking effect in IE, be sure that the class is in all lower case.

SPR #YBFC9B00QP

### **Disabling ActiveX in notes.ini not effective unless user caches cleared**

*Problem* Adding "\$h\_DisableActiveX=1" to notes.ini on the server can't be effective if it isn't the user's first time logging in to the server and the files in their browser's Temporary Internet Files folder are not deleted.

*Resolution* If an admin adds \$h\_DisableActiveX=1 to the notes.ini to disable ActiveX at the server level, all users must clear the file cache in their browser in order for this to take effect.  
SPR #YH787A00QP

## **Calendar**

### **Calendar event emails are not sent when a user clicks the Notify link in a calendar page**

*Problem* A user clicks the Notify link in a calendar page, but a Calendar event email is not sent to the calendar subscribers.

*Resolution* Calendar event emails are generated only when an event page is created or an existing page's date and time fields are modified. The Notify link is used strictly to notify users of a page via text emails.

### **A draft page marked to send calendar notifications does not send the notifications when published**

*Problem* If you create a draft of a page with "Send event to calendar subscribers" selected, when you publish the draft the notifications are not sent.

*Resolution* Put the page in edit mode, make sure to check "Send event to calendar subscribers," then publish the page again.

SPR #QPTR5HK4W3

### **Task due dates shown in the calendar are time zone sensitive.**

*Problem* Task due dates shown in the calendar are time zone sensitive. So, if you have clients which are a day apart, they will show different due dates. For example, if client one in time zone gmt-5:00 sets due date to be 10/29/02, client two in time zone gmt+12:00 will see the due date as 10/30/02.

*Resolution* This will be fixed in a future release.

SPR #MJAS5A8NLU

### **Time zone in calendar event notifications routed to Notes clients can show AST rather than EST**

The time zones displayed in calendar event notifications are defined in relation to Greenwich Mean Time (GMT). Eastern Standard Time (EST) without Daylight Savings Time is defined as GMT-5. Eastern Standard Time with Daylight Savings Time in effect (EDT) is defined as GMT-4. However GMT-4 also defines the Atlantic Standard Time (AST). To distinguish between AST and EDT, event notifications created in EDT have a flag turned on indicating that Daylight Savings Time is in effect and that the notification is therefore EST. During the process of routing EDT event notifications to Notes clients however, the Daylight Savings Time flag is lost and so the date for the notifications display as AST. This problem occurs only when the Domino SMTP router routes event notifications to another server and not when a recipient's mail server is the same as the Team Workplace server.

SPR #TESA5AUK9X

### **Repeat calendar events can be one hour off after a daylight savings time change**

*Problem* When using the time zone feature, the times of repeat calendar events can be one hour off after a daylight savings time change

*Resolution* To correct the problem, delete and re-create the repeat events after the change in daylight savings time.

SPR #JALS5FUSBK

### **Users who subscribe to calendar events don't see repeating events**

*Problem* When a user subscribes to calendar events, the user sees only the first occurrence of a repeating event

*Resolution* Repeating events are not supported for calendar subscriptions.

### **Calendar events on the What's New page show the server time rather than the client time**

*Problem* If a server and client are in different time zones, calendar events viewed by the client on the What's New page show the server time rather than client time.

*Resolution* This problem may be addressed in a future release.

SPR #MJAS5F5R4H

### **iNotes Web Access users cannot accept Team Workplace calendar events automatically**

*Problem:* When an iNotes Web Access user receives a Team Workplace calendar event notification via Notes mail, there is no option available for the user to accept the event automatically in the user's calendar.

*Resolution* The iNotes user must manually key in the calendar event.

SPR: JNES5EXN57

## **Other**

### **Web SSO message appears twice in server console during startup**

*Problem* The message "HTTP: Successfully loaded Web SSO configuration" appears twice in the server console at startup.

*Resolution* This causes no problems. A fix will be considered for a future release.

SPR #JL190500QP

### **Limit on number of Team Workplace server administrators**

*Problem* In the Team Workplace server settings (sign in to the server, click Server Settings – Security) you can only add 518 users to the "Who can administer this server?" list. If you add a 519<sup>th</sup> user, you receive an error.

*Resolution* This will be a limitation in this release.

### **There must be a temporary directory on the server**

*Problem* If the server does not contain a temporary directory, upload control problems can occur, for example problems with agent forms, html forms, importing pages, etc.

*Resolution* Use the OS environment variable TMP to specify the temporary directory.

SPR# AVOC3000QP

### **Temporary files created from the actions of anonymous users are not deleted**

*Problem* When anonymous users do tasks such as attaching files or editing documents, the temporarily files that are created as a result are not deleted.

*Resolution* Delete the temporarily files manually if you would like to.

SPR #JNES5D6R2W

## **Documentation Updates**

### **Online User Help: Link pages in the Index folder**

Link pages placed in the Index folder do not redirect to the specified URL. This is intended behavior because pages in the Index folder must be able to be edited, which link pages that redirect to a URL cannot be. Place link pages instead in another folder or directly in the sidebar.